

Rancho Naturalista Checklist- Sites included are Tayutic, Rio Tuis Valley, La Mina, Silent Mountain, and Laguna Angostura in the 1900-4500 ft range

LOCATION CODE

- [R] Rancho Naturalista: 2300-3500 ft.
- [T] Tuis River Valley: 3000-4500 ft.
- [C] C.A.T.I.E./Turrialba: 1900-2300 ft.
- [A] Laguna Angostura: 1900-2300 ft.

ABUNDANCE CODE

- 1 = Should be seen daily, generally a hard species to miss.
- 2 = Should be seen on most days of a visit to that particular habitat.
- 3 = Somewhat less common, but should still be seen. Requires some effort.
- 4 = Species is uncommon or of erratic occurrence. Generally tricky to find.
- 5 = Species is rare, seen annually, but few records per year. You'll need some luck!
- 6 = One or two records only, not to be expected. Confirmation needed.
- * = Absent from Bird book or no recent records
- h = Heard considerably more often than seen.
- n = Migrants from North America, mainly present Sept through May.
- s = Migrants from South America, mainly present March through Sept.
- t = Transient migrants, mainly present from March through May and Sept through Nov.
- d = Present mainly in dry season, Dec through March.
- r = Present mainly in rainy season, April through Sept.



**RANCHO
NATURALISTA**

506-2554-8101

www.ranchnaturalista.net

Over 450 species of birds have been recorded in our private forest reserve and within the local area. You can hike and bird the trails on your own and excellent guides are available.

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[] R 3h	GREAT TINAMOU	12	6	[] A 3	SNAIL KITE	15	6
[] R 3h	LITTLE TINAMOU	12	17	[] R 6n	MISSISSIPPI KITE	15	3
[] A 3	LEAST GREBE	7	4	[] A 6n	NORTHERN HARRIER	15	7
[] A 4	PIED-BILLED GREBE	7	3	[] R 6	TINY HAWK	16	2
[] A 3	NEOTROPIC CORMORANT	4	4	[] R 3n	SHARP-SHINNED HAWK	16	3
[] A 4	ANHINGA	4	3	[] R 4n	COOPER'S HAWK	16	4
[] R 6	MAGNIFICENT FRIGATEBIRD	1	6	[] R 3	BICOLORED HAWK	16	8
[] A 4	WOOD STORK	4	6	[] T 4	BARRED HAWK	17	1
[] C 3	GREEN IBIS	4	10	[] R 5	WHITE HAWK	17	2
[] C 3n	GREAT BLUE HERON	5	6	[] T 5	GREAT BLACK-HAWK	13	7
[] C 3	GREAT EGRET	5	14	[] T 6*	SOLITARY EAGLE	13	8
[] A 6	REDDISH EGRET	5	7	[] C 2	ROADSIDE HAWK	16	12
[] A 6	TRICOLORED HERON	5	8	[] R 2n	BROAD-WINGED HAWK	16	13
[] C 3	LITTLE BLUE HERON	5	9	[] R 5	GRAY HAWK	16	14
[] C 2	SNOWY EGRET	5	10	[] R 3	SHORT-TAILED HAWK	16	11
[] R 1	CATTLE EGRET	5	13	[] R 5t	SWAINSON'S HAWK	17	7
[] C 1	GREEN HERON	6	2	[] R 5	ZONE-TAILED HAWK	13	1
[] A 5	LEAST BITTERN	6	3	[] R 5n	RED-TAILED HAWK	17	8
[] C 2	BLACK-CROWNED NIGHT-HERON	5	4	[] R 4	BLACK HAWK-EAGLE	13	9
[] C 3	YELLOW-CROWNED NIGHT-HERON	5	3	[] R 5	ORNATE HAWK-EAGLE	17	11
[] A 3	LIMPKIN	5	5	[] R 4h	LAUGHING FALCON	15	8
[] C 1	BOAT-BILLED HERON	5	2	[] R 4h	BARRED FOREST-FALCON	16	5
[] T 3	FASCIATED TIGER-HERON	5	15	[] R 5h	COLLARED FOREST-FALCON	16	7
[] C 5	BARE-THROATED TIGER-HERON	5	16	[] R 4n	AMERICAN KESTREL	15	13
[] A 3n	BLUE-WINGED TEAL	8	5	[] R 5n	MERLIN	15	15
[] A 6n	RUDDY DUCK	*	*	[] R 4	BAT FALCON	15	14
[] C 6	MASKED DUCK	7	8	[] R 5n	PEREGRINE FALCON	15	5
[] A 5n	NORTHERN SHOVELER	8	2	[] C 4	CRESTED CARACARA	14	12
[] A 5n	AMERICAN WIGEON	8	6	[] C 3	YELLOW-HEADED CARACARA	15	9
[] A 3	BLACK-BELLIED WHISTLING-DUCK	8	7	[] R 2	GRAY-HEADED CHACHALACA	12	1
[] A 3	MUSCOVY DUCK	8	10	[] R 4	CRESTED GUAN	12	4
[] R 1	TURKEY VULTURE	13	3	[] R 6	BLACK GUAN	12	5
[] R 1	BLACK VULTURE	13	4	[] T 4h	BLACK-BREASTED WOOD-QUAIL	12	10
[] R 5	KING VULTURE	13	5	[] R 3h	WHITE-THROATED CRAKE	6	9
[] R 4n	OSPREY	17	14	[] A 6h	GRAY-BREASTED CRAKE	6	6
[] R 4	GRAY-HEADED KITE	17	3	[] A 6h	SORA	6	12
[] R 4	HOOK-BILLED KITE	14	9	[] R 6	PAINT-BILLED CRAKE	51	12
[] R 3r	SWALLOW-TAILED KITE	15	2	[] A 4	GRAY-NECKED WOOD-RAIL	6	13
[] C 3	WHITE-TAILED KITE	15	1	[] C 2	PURPLE GALLINULE	6	15
[] R 4	DOUBLE-TOOTHED KITE	16	1	[] C 5	COMMON GALLINULE	7	2

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[] A 4n	AMERICAN COOT	7	1	[] T 3	GREEN-FRONTED LANCEBILL	23	11
[] T 3	SUNBITTERN	6	16	[] R 3	VIOLET SABREWING	23	9
[] C 1	NORTHERN JACANA	6	18	[] R 1	WHITE-NECKED JACOBIN	23	17
[] C 5	WILSON'S SNIPE	9	5	[] R 4r	BROWN VIOLET-EAR	23	6
[] A 3	SOUTHERN LAPWING	*	*	[] R 5r	GREEN VIOLET-EAR	23	7
[] A 4n	KILLDEER	10	1	[] R 1	GREEN-BREASTED MANGO	23	13
[] A 4t	GREATER YELLOWLEGS	11	2	[] R 3	VIOLET-HEADED HUMMINGBIRD	25	11
[] A 3t	LESSER YELLOWLEGS	11	3	[] R 3	BLACK-CRESTED COQUETTE	25	6
[] T 5n	SOLITARY SANDPIPER	11	4	[] R 5r	WHITE-CRESTED COQUETTE	25	5
[] T 2n	SPOTTED SANDPIPER	11	8	[] R 3	GREEN THORNTAIL	25	1
[] A 4t	WESTERN SANDPIPER	11	12	[] R 5	GARDEN EMERALD	24	13
[] A 4t	SEMIPALMATED SANDPIPER	11	13	[] T 3	BLACK-BELLIED HUMMINGBIRD	24	21
[] A 4t	LEAST SANDPIPER	11	14	[] R 1	VIOLET-CROWNED WOODNYMPH	24	4
[] C 6n	LEAST TERN	2	4	[] R 1	RUFIOUS-TAILED HUMMINGBIRD	24	10
[] C 1	ROCK PIGEON	*	*	[] R 6	SNOWY-BELLIED HUMMINGBIRD	24	3
[] R 5d	BAND-TAILED PIGEON	18	1	[] R 2	SNOWCAP	25	8
[] R 1	RED-BILLED PIGEON	18	2	[] R 3	BRONZE-TAILED PLUMELETER	23	12
[] C 6	PALE-VENTED PIGEON	18	3	[] T 3	WHITE-BELLIED MOUNTAIN-GEM	24	5
[] R 3h	SHORT-BILLED PIGEON	18	5	[] R 5	PURPLE-THROATED MOUNTAIN-GEM	24	7
[] T 3d	RUDDY PIGEON	18	5	[] R 2	GREEN-CROWNED BRILLIANT	23	15
[] R 3	RUDDY GROUND-DOVE	18	7	[] R 2	PURPLE-CROWNED FAIRY	23	14
[] C 5	INCA DOVE	18	11	[] R 5	LONG-BILLED STARHROAT	23	18
[] C 4	WHITE-WINGED DOVE	18	12	[] R 4n	RUBY-THROATED HUMMINGBIRD	25	9
[] R 1	WHITE-TIPPED DOVE	18	14	[] R 2	VIOLACEOUS TROGON	26	8
[] R 3	GRAY-CHESTED DOVE	18	16	[] R 2	COLLARED TROGON	26	5
[] R 4	PURPLISH-BACKED QUAIL-DOVE	18	21	[] R 3	BLACK-THROATED TROGON	26	9
[] R 6r	CHIRIQUI QUAIL-DOVE	18	18	[] C 4n	BELTED KINGFISHER	27	2
[] R 5	RUDDY QUAIL-DOVE	18	17	[] T 4	RINGED KINGFISHER	27	1
[] R 2	CRIMSON-FRONTED PARAKEET	19	10	[] T 4	AMAZON KINGFISHER	27	4
[] R 3	SULPHUR-WINGED PARAKEET	19	12	[] C 3	GREEN KINGFISHER	27	5
[] R 5r	BARRED PARAKEET	19	16	[] R 2	BLUE-CROWNED MOTMOT	27	8
[] R 6	RED-FRONTED PARROTLET	19	15	[] R 2	RUFIOUS MOTMOT	27	7
[] R 3	BROWN-HOODED PARROT	19	9	[] R 4	BROAD-BILLED MOTMOT	27	9
[] C 6	WHITE-FRONTED PARROT	19	6	[] R 2	RUFIOUS-TAILED JACAMAR	26	12
[] R 1	WHITE-CROWNED PARROT	19	7	[] T 5	LANCEOLATED MONKLET	28	5
[] R 6	BLUE-HEADED PARROT	19	8	[] T 2	RED-HEADED BARBET	28	2
[] R 5t	BLACK-BILLED CUCKOO	21	1	[] T 4h	PRONG-BILLED BARBET	28	1
[] R 5t	YELLOW-BILLED CUCKOO	21	2	[] T 4	BLUE-THROATED (EMERALD) TOUCANET	27	17
[] R 2	SQUIRREL CUCKOO	21	7	[] R 2	COLLARED ARACUI	27	15
[] R 2	GROOVE-BILLED ANI	21	9	[] R 6d	YELLOW-EARED TOUCANET	27	20
[] R 4r	STRIPED CUCKOO	21	5	[] R 1	KEEL-BILLED TOUCAN	27	18
[] R 6	BARN OWL	20	9	[] T 4	ACORN WOODPECKER	28	15
[] R 2h	MOTTLED OWL	20	6	[] R 1	BLACK-CHEEKED WOODPECKER	28	14
[] R 4h	CRESTED OWL	20	3	[] R 1	HOFFMANN'S WOODPECKER	28	16
[] R 6	SPECTACLED OWL	20	8	[] R 5n	YELLOW-BELLIED SAPSUCKER	28	20
[] R 5	TROPICAL SCREECH-OWL	20	15	[] R 3	SMOKY-BROWN WOODPECKER	28	13
[] C 4	FERRUGINOUS PYGMY-OWL	20	17	[] R 3	RUFIOUS-WINGED WOODPECKER	28	10
[] T 5	STRIPED OWL	20	2	[] R 2	GOLDEN-OLIVE WOODPECKER	28	11
[] R 5d	COMMON POTOO	20	4	[] R 3	LINEATED WOODPECKER	27	13
[] R 4	SHORT-TAILED NIGHTHAWK	21	14	[] R 4	PALE-BILLED WOODPECKER	27	14
[] R 6t	COMMON NIGHTHAWK	21	13	[] R 2	SLATY SPINETAIL	32	9
[] C 2	LESSER NIGHTHAWK	21	12	[] T 4	RED-FACED SPINETAIL	30	12
[] R 2h	PAURAQUE	21	18	[] T 3	SPOTTED BARBTAIL	29	5
[] R 5t	CHUCK-WILL'S-WIDOW	21	16	[] R 2	PLAIN XENOPS	29	3
[] R 6	BLACK SWIFT	22	2	[] T 5	STREAKED XENOPS	29	2
[] R 3	CHESTNUT-COLLARED SWIFT	22	3	[] T 6	SCALY-THROATED FOLIAGE-GLEANER	30	2
[] R 2	WHITE-COLLARED SWIFT	22	1	[] T 6*	BUFF-FRONTED FOLIAGE-GLEANER	30	6
[] R 3	VAUX'S SWIFT	22	9	[] R 3	BUFF-THROATED FOLIAGE-GLEANER	30	3
[] R 4	LESSER SWALLOW-TAILED SWIFT	22	7	[] R 4	TAWNY-THROATED LEAFTOSSER	30	11
[] R 5	WHITE-TIPPED SICKLEBILL	23	8	[] R 3	PLAIN-BROWN WOODCREEPER	29	11
[] R 5	BAND-TAILED BARBTHROAT	23	5	[] T 6	RUDDY WOODCREEPER	29	13
[] R 1	GREEN HERMIT	23	3	[] R 2	OLIVACEOUS WOODCREEPER	29	7
[] C 4	LONG-BILLED HERMIT	23	2	[] R 2	WEDGE-BILLED WOODCREEPER	29	6
[] R 1	STRIPE-THROATED (LITTLE) HERMIT	23	1	[] R 6	STRONG-BILLED WOODCREEPER	29	18
				[] R 4	NORTHERN BARRED-WOODCREEPER	29	19

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[] R 2	COCOA WOODCREEPER	29	17	[] R 2	BOAT-BILLED FLYCATCHER	35	12
[] R 2	SPOTTED WOODCREEPER	29	20	[] R 1	SOCIAL FLYCATCHER	35	14
[] R 2	STREAK-HEADED WOODCREEPER	29	8	[] R 2	GRAY-CAPPED FLYCATCHER	35	15
[] R 4	BROWN-BILLED SCYTHEBILL	29	14	[] T 3	GOLDEN-BELLIED FLYCATCHER	35	9
[] R 5	FASCIATED ANTSHRIKE	31	1	[] R 2s	SULPHUR-BELLIED FLYCATCHER	35	10
[] R 6*	GREAT ANTSHRIKE	31	2	[] R 2s	PIRATIC FLYCATCHER	35	8
[] R 4	BARRED ANTSHRIKE	31	3	[] R 1	TROPICAL KINGBIRD	35	1
[] R 2	RUSSET ANTSHRIKE	31	4	[] R 4t	EASTERN KINGBIRD	35	3
[] R 2	PLAIN ANTVIREO	32	6	[] R 4h	THRUSHLIKE SCHIFFORNIS	33	10
[] R 3	CHECKER-THROATED ANTWREN	32	5	[] T 4	BARRED BECARD	33	14
[] R 2	SLATY ANTWREN	32	3	[] R 1	CINNAMON BECARD	33	11
[] R 4	DOT-WINGED ANTWREN	32	1	[] R 4	WHITE-WINGED BECARD	33	13
[] R 6	RUFIOUS-RUMPED ANTWREN	32	10	[] R 5d	BLACK-AND-WHITE BECARD	33	15
[] R 3	DUSKY ANTBIRD	31	8	[] R 1	MASKED TITYRA	34	1
[] R 3	DULL-MANTLED ANTBIRD	31	14	[] R 2	BLACK-CROWNED TITYRA	34	2
[] R 3	IMMACULATE ANTBIRD	31	10	[] T 5	SHARPBILL	34	7
[] T 5	BICOLORED ANTBIRD	31	9	[] C 2	GRAY-BREASTED MARTIN	22	15
[] R 4	SPOTTED ANTBIRD	31	12	[] C 2	MANGROVE SWALLOW	22	23.
[] T 6h	BLACK-HEADED ANTTHRUSH	30	17	[] R 3	BLUE-AND-WHITE SWALLOW	22	20
[] R 5	SCALED ANTPITTA	30	20	[] R 2n	NORTHERN ROUGH-WINGED SWALLOW	22	18
[] R 4h	THICKET ANTPITTA	30	14	[] R 2	SOUTHERN ROUGH-WINGED SWALLOW	22	19
[] R 6	OCHRE-BREASTED ANTPITTA	30	13	[] A 3t	BANK SWALLOW	22	17
[] T 5h	SILVERY-FRONTED TAPACULO	32	12	[] A 3t	CLIFF SWALLOW	22	13
[] R 6	LOVELY COTINGA	34	6	[] A 4t	BARN SWALLOW	22	12
[] R 1	WHITE-COLLARED MANAKIN	33	1	[] R 6n	CEDAR WAXWING	39	14
[] R 2	WHITE-RUFFED MANAKIN	33	9	[] T 3	AMERICAN DIPPER	39	11
[] R 3	WHITE-CROWNED MANAKIN	33	8	[] R 4	BAND-BACKED WREN	38	3
[] R 5	GRAY-HEADED PIPRITES	33	3	[] R 3h	BLACK-THROATED WREN	38	13
[] R 4	GREENISH ELAENIA	37	21	[] R 3h	BAY WREN	38	12
[] R 1	YELLOW-BELLIED ELAENIA	37	26	[] R 2	STRIPE-BREASTED WREN	38	5
[] T 4d	MOUNTAIN ELAENIA	37	24	[] R 2h	PLAIN WREN	38	17
[] T 2	TORRENT TYRANNULET	36	1	[] R 1	HOUSE WREN	38	18
[] R 2	OCHRE-BELLIED FLYCATCHER	36	25	[] T 4	OCHRACEOUS WREN	38	19
[] R 2	OLIVE-STRIPED FLYCATCHER	36	24	[] R 1h	WHITE-BREASTED WOOD-WREN	38	15
[] R 3	SLATY-CAPPED FLYCATCHER	36	26	[] T 3h	GRAY-BREASTED WOOD-WREN	38	14
[] T 4	RUFIOUS-BROWED TYRANNULET	37	12	[] R 4h	SCALY-BREASTED WREN (WHISTLING)	38	20
[] T 5	WHITE-FRONTED TYRANNULET	37	18	[] R 4n	GRAY CATBIRD	39	12
[] R 1	PALTRY TYRANNULET	37	10	[] R 5d	BLACK-FACED SOLITAIRE	39	13
[] R 2h	SCALE-CRESTED PYGMY-TYRANT	37	4	[] R 5r	ORANGE-BILLED NIGHTINGALE-THRUSH	38	26
[] R 2h	BLACK-HEADED TODY-FLYCATCHER	37	8	[] T 4h	SLATY-BACKED NIGHTINGALE-THRUSH	38	23
[] R 1	COMMON TODY-FLYCATCHER	37	7	[] R 4h	BLACK-HEADED NIGHTINGALE-THRUSH	38	25
[] R 4	EYE-RINGED FLATBILL	37	23	[] R 6t	VEERY	39	3
[] R 1	YELLOW-OLIVE FLYCATCHER	37	16	[] R 5t	GRAY-CHEEKED THRUSH	39	1
[] R 4	WHITE-THROATED SPADEBILL	37	1	[] R 2n	SWAINSON'S THRUSH	39	2
[] R 4	RUDDY-TAILED FLYCATCHER	36	23	[] R 3n	WOOD THRUSH	39	4
[] R 3	SULPHUR-RUMPED FLYCATCHER	36	21	[] R 6d	MOUNTAIN THRUSH	39	6
[] R 2	TAWNY-CHESTED FLYCATCHER	36	10	[] R 5d	PALE-VENTED THRUSH	39	5
[] T 3	TUFTED FLYCATCHER	36	11	[] R 1	CLAY-COLORED THRUSH	39	8
[] R 4n	OLIVE-SIDED FLYCATCHER	36	4	[] T 5	WHITE-THROATED THRUSH	39	9
[] T 5	DARK PEWEE	36	2	[] R 2	LONG-BILLED GNATWREN	32	15
[] R 3n	EASTERN WOOD-PEWEE	36	8	[] R 2	TROPICAL GNATCATCHER	41	2
[] R 1	TROPICAL PEWEE	36	9	[] R 1	BROWN JAY	39	19
[] R 1n	YELLOW-BELLIED FLYCATCHER	36	20	[] T 5h	AZURE-HOODED JAY	39	17
[] R 4t	ACADIAN FLYCATCHER	36	12	[] R 6	WHITE-EYED VIREO	40	12
[] R 4t	ALDER FLYCATCHER	36	14	[] R 1n	YELLOW-THROATED VIREO	40	6
[] R 4t	WILLOW FLYCATCHER	36	14	[] R 3n	PHILADELPHIA VIREO	40	15
[] R 5	WHITE-THROATED FLYCATCHER	36	13	[] R 2t	RED-EYED VIREO	40	3
[] R 5n	LEAST FLYCATCHER	36	15	[] R 3s	YELLOW-GREEN VIREO	40	5
[] T 3	BLACK PHOEBE	36	5	[] R 3h	TAWNY-CROWNED GREENLET	32	4
[] R 3	LONG-TAILED TYRANT	36	6	[] R 2	LESSER GREENLET	40	7
[] R 4d	BRIGHT-RUMPED ATTILA	35	6	[] R 5h	GREEN SHRIKE-VIREO	40	1
[] R 3	RUFIOUS MOURNER	34	9	[] T 4h	RUFIOUS-BROWED PEPPERSHRIKE	40	2
[] R 1	DUSKY-CAPPED FLYCATCHER	35	21	[] R 5n	BLUE-WINGED WARBLER	41	6
[] R 5n	GREAT CRESTED FLYCATCHER	35	17	[] R 2n	GOLDEN-WINGED WARBLER	41	5
[] R 1	GREAT KISKADEE	35	13	[] R 6n	"BREWSTER'S" WARBLER	*	*

CODE	SPECIES	PLATE	NO.	CODE	SPECIES	PLATE	NO.
[] R 1n	TENNESSEE WARBLER	40	22	[] R 1	VARIABLE SEEDEATER	49	3
[] R 6n	NASHVILLE WARBLER	52	3	[] A 3	WHITE-COLLARED SEEDEATER	49	2
[] R 2	TROPICAL PARULA	41	3	[] A 5	YELLOW-BELLIED SEEDEATER	49	4
[] A 2n	YELLOW WARBLER	42	2	[] R 3	THICK-BILLED SEED-FINCH	49	10
[] R 1n	CHESTNUT-SIDED WARBLER	43	4	[] R 1	YELLOW-FACED GRASSQUIT	49	6
[] R 6n	MAGNOLIA WARBLER	43	10	[] T 4h	SOOTY-FACED FINCH	48	21
[] R 5n	YELLOW-RUMPED WARBLER	43	11	[] T 4	WHITE-NAPED BRUSH-FINCH	48	15
[] R 4n	BLACK-THROATED GREEN WARBLER	43	9	[] R 3h	CHESTNUT-CAPPED BRUSH-FINCH	48	16
[] R 2n	BLACKBURNIAN WARBLER	41	8	[] R 1	ORANGE-BILLED SPARROW	48	17
[] R 4t	BAY-BREASTED WARBLER	41	9	[] R 2h	BLACK-STRIPED SPARROW	50	14
[] R 6t	BLACK-THROATED BLUE WARBLER	43	1	[] R 6*	PREVOST'S GROUND-SPARROW	48	18
[] R 4t	CERULEAN WARBLER	43	2	[] R 2	RUFIOUS-COLLARED SPARROW	50	13
[] R 2n	BLACK-AND-WHITE WARBLER	41	13	[] C 3	GRAYISH SALTATOR	48	3
[] R 2n	AMERICAN REDSTART	41	10	[] R 1	BUFF-THROATED SALTATOR	48	2
[] A 2n	PROTHONOTARY WARBLER	42	1	[] R 2h	BLACK-HEADED SALTATOR	48	1
[] R 4n	WORM-EATING WARBLER	40	21	[] C 4	BLACK-FACED GROSBEAK	48	5
[] R 4n	OVENBIRD	43	12	[] R 5r	BLACK-THIGHED GROSBEAK	48	7
[] T 3n	LOUISIANA WATERTHRUSH	43	13	[] R 3n	ROSE-BREASTED GROSBEAK	48	8
[] A 3n	NORTHERN WATERTHRUSH	43	14	[] R 5	BLUE-BLACK GROSBEAK	48	10
[] R 3n	KENTUCKY WARBLER	42	15	[] R 5n	INDIGO BUNTING	48	12
[] R 2n	MOURNING WARBLER	42	14	[] A 3	RED-BREASTED BLACKBIRD	44	13
[] A 4n	COMMON YELLOWTHROAT	42	10	[] R 3	EASTERN MEADOWLARK	50	16
[] A 3	OLIVE-CROWNED YELLOWTHROAT	42	11	[] R 2r	MELODIOUS BLACKBIRD	52	6
[] R 3	GRAY-CROWNED YELLOWTHROAT	42	13	[] C 1	GREAT-TAILED GRACKLE	44	16
[] R 6n	HOODED WARBLER	42	5	[] R 2r	BRONZED COWBIRD	44	15
[] R 1n	WILSON'S WARBLER	42	4	[] A 4	SHINY COWBIRD	52	6
[] R 2t	CANADA WARBLER	42	8	[] R 4	GIANT COWBIRD	44	10
[] R 1	SLATE-THROATED REDSTART	42	7	[] R 1n	BALTIMORE ORIOLE	44	7
[] R 1	GOLDEN-CROWNED WARBLER	40	18	[] R 5n	ORCHARD ORIOLE	44	6
[] R 2	RUFIOUS-CAPPED WARBLER	40	16	[] R 3	BLACK-COWLED ORIOLE	44	5
[] T 3	BUFF-RUMPED WARBLER	40	23	[] R 3h	YELLOW-BILLED CACIQUE	44	12
[] R 1	BANANAQUIT	40	24	[] R 3	SCARLET-RUMPED CACIQUE	44	11
[] T 3	COMMON BUSH-TANAGER	45	13	[] R 2	CHESTNUT-HEADED OROPENDOLA	44	9
[] R 4	ASHY-THROATED BUSH-TANAGER	45	12	[] R 1	MONTEZUMA OROPENDOLA	44	8
[] R 4h	BLACK-AND-YELLOW TANAGER	46	14	[] C 2	HOUSE SPARROW	50	17
[] R 2h	OLIVE TANAGER	45	16				
[] R 3	WHITE-SHOULDERED TANAGER	46	18				
[] T 4	TAWNY-CRESTED TANAGER	46	17				
[] R 1	WHITE-LINED TANAGER	46	16				
[] R 2	RED-THROATED ANT-TANAGER	47	12				
[] T 4	HEPATIC TANAGER	47	6				
[] R 3t	SCARLET TANAGER	47	8				
[] R 1n	SUMMER TANAGER	47	5				
[] R 6n	WESTERN TANAGER	47	2				
[] R 6	WHITE-WINGED TANAGER	47	7				
[] R 3	CRIMSON-COLLARED TANAGER	47	3				
[] R 1	PASSERINI'S TANAGER	47	4				
[] R 1	BLUE-GRAY TANAGER	46	15				
[] R 1	PALM TANAGER	45	19				
[] R 3	YELLOW-CROWNED EUPHONIA	45	1				
[] R 3	YELLOW-THROATED EUPHONIA	45	5				
[] R 5	ELEGANT EUPHONIA	45	9				
[] R 2	OLIVE-BACKED EUPHONIA	45	3				
[] R 4	WHITE-VENTED EUPHONIA	45	7				
[] R 2	TAWNY-CAPPED EUPHONIA	45	6				
[] R 4d	GOLDEN-BROWED CHLOROPHONIA	45	10				
[] R 4	EMERALD TANAGER	46	5				
[] R 2	SILVER-THROATED TANAGER	46	6				
[] R 4	SPECKLED TANAGER	46	8				
[] R 2	BAY-HEADED TANAGER	46	9				
[] R 1	GOLDEN-HOODED TANAGER	46	13				
[] T 3	SPANGLE-CHEEKED TANAGER	46	12				
[] R 4	SCARLET-THIGHED DACNIS	46	4				
[] R 3	GREEN HONEYCREEPER	46	7				
[] R 2r	BLUE-BLACK GRASSQUIT	49	7				

CODE	SPECIES	PLATE	NO.
<u>SILENT MOUNTAIN HIKE ADD-ONS : 4000-5000 ft.</u>			
[]	S 5h BUFF-FRONTED QUAIL-DOVE	18	19
[]	S 3 COSTA RICAN PYGMY-OWL	20	18
[]	S 4 RESPLENDENT QUETZAL	26	1
[]	S 4 HAIRY WOODPECKER	28	19
[]	S 2 RUDDY TREERUNNER	29	4
[]	S 4 BUFFY TUFTEDCHEEK	30	1
[]	S 3 LINEATED FOLIAGE-GLEANER	30	8
[]	S 5 BLACK-BANDED WOODCREEPER	29	15
[]	S 4h RUFIOUS-BREASTED ANTTHRUSH	30	16
[]	S 2 YELLOWISH FLYCATCHER	36	19
[]	S 5 BLACK-AND-YELLOW SILKY-FLYCAT...	39	10
[]	S 4 ZELEDONIA (WRENTHRUSH)	32	13
[]	S 3 SLATY FLOWER-PIERCER	49	9
[]	S 4 YELLOW-BELLIED SISKIN	50	1
<u>SILENT MOUNTAIN CHANGE IN SPECIES STATUS</u>			
[]	S 3 BLACK GUAN	12	5
[]	S 3 BLACK-BELLIED HUMMINGBIRD	24	21
[]	S 2 WHITE-BELLIED MOUNTAIN-GEM	24	5
[]	S 3 PURPLE-THROATED MOUNTAIN-GEM	24	7
[]	S 4h RED-FRONTED PARROTLET	19	15
[]	S 3h PRONG-BILLED BARBET	28	1
[]	S 2 BLUE-THROATED (EMERALD) TOUCANET	27	17
[]	S 2 ACORN WOODPECKER	28	15
[]	S 4 SCALY-THROATED FOLIAGE-GLEANER	30	2
[]	S 5 STRONG-BILLED WOODCREEPER	29	18
[]	S 3h SILVERY-FRONTED TAPACULO	32	12
[]	S 4 LOVELY COTINGA	34	6
[]	S 3 RUFIOUS-RUMPED ANTWREN	32	10
[]	S 2 DARK PEWEE	36	2
[]	S 3 BARRED BECARD	33	14
[]	S 4h SHARPBILL	34	7
[]	S 2 MOUNTAIN THRUSH	39	6
[]	S 2h BLACK-FACED SOLITAIRE	39	13
[]	S 3 OLIVE-CROWNED YELLOWTHROAT	42	11
[]	S 4 WHITE-WINGED TANAGER	47	7
[]	S 3 ELEGANT EUPHONIA	45	9
[]	S 2 SPANGLE-CHEEKED TANAGER	46	12
[]	S 3 SOOTY-FACED FINCH	48	21
[]	S 3 WHITE-NAPED BRUSH-FINCH	48	15
[]	S 3 BLACK-THIGHED GROSBEAK	48	7

TOTAL SPECIES : 453 (includes 14 Silent Mountain add-ons) Last updated: January 2014. We would like to thank those who helped compile this list, especially Kevin Easley, Jay Vandergaast, Matt Denton, Steven Easley, Frederic VanHove, Ernesto Carman, Herman Venegas, Juan Carlos Rodriguez, and Harry Barnard. We welcome new information on species not included in this list or about species with abundance codes 5 or 6. Please send details to Kevin Easley: ticokid@racsa.co.cr